Beechcraft Beechcraft Boo

Suggested PRICE LIST





Powered with Two Six-Cylinder Lycoming TIO-541-E1C4 Turbocharged Engines Rated at 380 Horsepower each. Equipped with Avionics. Pressurized.

Installed

Suggested

OPTIONAL EQUIPMENT ITEMS OFFERED FOR FACTORY INSTALLATION

	installed Weight	Suggested Selling Price
Air Conditioner (Refrigeration Type)	66 lbs.	
Brakes, Copilot	6 lbs.	395.00
Cabin Interior Items		
Club Seating — Includes Aft Facing 3rd and 4th Seats with		
Headrests, without Shoulder		
Harness		
Forward Facing 5th and 6th Seats, with Headrests and Shoulder		
Harness Forward Cabin Curtain		
(exchange Standard 3rd and 4th		
Chair Arrangement)	+44 lbs.	+3,440.00
Fifth and Sixth Seats with Air Outlets, Reading Lights, Headrests, Seat Belt	s	
and Shoulder Harness	42 lbs.	3,485.00
Desk, Executive Writing (Mounted on right sidewall, used with Club		
Seating Arrangement only)	10 lbs.	720.00
Forward Cabin Curtain (Used with	0.15	040.00
Standard Seating Configuration) Lavatory (Dry Toilet) Mounted in Sixth	3 lbs.	310.00
Seat, with Privacy Curtain	7 lbs.	730.00
Clock — Pilot's Control Wheel,	Nami	1 175 00
Chronograph (exchange) Deicing/Anti-Icing Systems	Negl.	+175.00
Deicing Boots, Automatic Lightweight	26 lbs.	7,170.00
Propeller Anti-Icing, Electric Windshield Anti-Icina — Electric	9 lbs.	3,015.00
(Left Side)	26 lbs.	4,580.00
Fire Extinguisher, Cabin (Halon)	5 lbs.	116.00
Flags, United States (Scotchcal) (Set of two 7.5" x 12" Slanted)	Nogl	20.00
Fuel	Negl.	20.00
Extended Range Wing Fuel Tanks		
Option No. 1 (202 gallon replaces 142 gallon)	⊥33 lbe	+3,540.00
Option No. 2	T00 103.	+5,540.00
(232 gallon replaces 142 gallon)	+53 lbs.	+7,160.00
Instruments Airspeed Indicator - MPH and Knots		
(each) (Exchange for Knots only)	Negl.	+60.00
Deluxe Instrument Panel Includes:	15 lbs.	2,430.00
Second Airspeed Indicator		
Second Altimeter Second Rate of Climb Indicator		
Second Turn and Bank Indicator		
Second Gyro Horizon		
Second Directional Gyro Second Heated Pitot		
Second Static System	4	
Engine Hour Recorder Flight Hour Recorder	1 lb. 1 lb.	148.00 148.00
Instantaneous Vertical Speed Indicator		
(Exchange) Tachometer with Synchroscope	Negl.	+605.00
(Exchange)	Negl.	+295.00
Lighting - Exterior Recognition Lights - Wing Tips	1 lb.	710.00
Strobe Lights - 3 Light System		
(Wing Tips and Tail) Wing Ice Light	13 lbs. 1 lb.	2,140.00 180.00
gg	. 10.	.00.00

	Installed Weight	Suggested Selling Price
Lighting - Interior Internally Lighted Instruments - Pilot and Copilot Map Light - Copilot's Control Wheel Oxygen Installation (6 outlets, Lightweight Bottle)	Negl. Negl.	\$1,340.00 100.00
a. 11 cubic foot Bottleb. 22 cubic foot Bottlec. 49 cubic foot Bottle	19 lbs. 24 lbs. 34 lbs.	1,695.00 1,775.00 1,950.00
Paint, Urethane (in standard Beech colors) (Exchange for standard paint) Propeller	Negl.	+530.00
Synchronizer Unfeathering Accumulators Relief Tube - Pilot's	7 lbs. 14 lbs. 1 lb.	1,845.00 495.00 185.00
Cabinetry		
Refreshment Cabinet (Walnut Finish) (Forward Left Side Only) (Used with Club Seating Arrangement Only) a. With One Quart Thermos Bottle, Ice Chest and General Storage		
(four drawer) b. With ½ Gallon Electric Coffee Unit, Water Dispenser, Ice Chest and	24 lbs.	760.00
General Storage (two drawer)	35 lbs.	1,325.00
INTERIOR TRIM OPTIONS (Exchange for Leather Upper and Lower Sidewalls Leather Center Sidewalls	standard vi Negl. Negl.	
Leather Chair Trim with Fabric Inserts (Exchange for Standard Vinyl)		
a. 4 Chairs b. Each Additional Chair	Negl. Negl.	+596.00 +149.00

Suggested Selling Price: \$258,800.00

STANDARD AVIONICS PACKAGE

Collins Micro-Line

Installed Weight
Included In
Empty Weight of Airplane

Collins VHF-251 Main VHF Transceiver with PWS-150 Power Adapter and B3 Comm Antenna Collins VIR-351 Omni No. 1 Receiver with IND-351 VOR/ILS Indicator

with IND-351 VOR/ILS Indicator and B12 Antenna Collins AMR-350 Audio Panel

Collins Marker Beacon incorporated in

AMR-350 Single Set Marker Lights and B16 Antenna Collins ADF-650 ADF with IND-650 Indicator

and ANT-650 Antenna
Collins GLS-350 Glideslope Receiver

with A-326A Antenna

Collins TDR-950 Transponder with

B18 Antenna Beech Metal Radio Panel, Radio

Accessories, and Static Wicks
Mic Key Button in Pilot's Control Wheel
White Lighting

Single Audio Switch Panel
Dual Microphones and Headsets, Single

Cockpit Speaker Avionics Master Switch

NOTE: VHF Transceivers will have 25KHZ spacing unless otherwise specified.



OPTIONAL AVIONICS PACKAGES IN LIEU OF STANDARD AVIONICS

Installed Weight +14 lbs.

Suggested Selling Price \$+5,320.00

Collins Micro-Line

Collins VHF-251 Main VHF Transceiver with PWS-150 Power Adapter and B3

Comm Antenna

Collins VHF-251 Standby VHF Transceiver with PWS-150 Power Adapter and

A15 Comm Antenna

Collins VIR-351 Omni No. 1 Receiver with IND-351 VOR/ILS Indicator and B12 Antenna

oline VIR-351 (

Collins VIR-351 Omni No. 2 Receiver with IND-351 VOR/ILS Indicator and

B8 Coupler

Collins AMR-350 Audio Panel

Collins Marker Beacon incorporated in AMR-350, Single Set Marker Lights and B16 Antenna

Collins ADF-650 ADF with IND-650 Indicator and ANT-650 Antenna

Collins GLS-350 Glideslope Receiver with A-326A Antenna

Collins TDR-950 Transponder with B18 Antenna

Beech Metal Radio Panel, Radio Accessories, and Static Wicks

Mic Key Button in Pilot's Control Wheel

White Lighting

Single Audio Switch Panel

Dual Microphones and Headsets, Single Cockpit Speaker

Avionics Master Switch

NOTE: VHF Transceivers will have 25KHZ spacing unless otherwise specified.

Collins Pro-Line

+47 lbs. \$+30,540.00

Collins VHF-20A Main Transceiver with Dual Gables Controls and B3 Antenna Collins VHF-20A Standby Transceiver

Collins VHF-20A Standby Transceiver with Gables Control and A15 Antenna

Collins VIR-30 MGM Manual Omni No. 1 with 331H-3G Indicator, Gables Control and B12 Nav Antenna

Collins VIR-30M Manual Omni No. 2 with 331H-3G Indicator and Gables Control

Collins 356C-4 Isolation Amplifier and 356F-3 Speaker Amplifier with Single Audio Switch Panel

Collins ADF-60A ADF with IN-12-1 Indicator, Gables Control, Voice Range Filter and ANT-60A Antenna

Collins Marker Beacon Included in No. 1 VIR-30 with B16 Antenna and Single Set Marker Lights

Collins Glideslope Included in No. 1 VIR-30 with A-326A Antenna

Collins TDR-90 Transponder with 237Z-1
Antenna

Beech Custom Edgelighted Radio Panel, Radio Accessories, Static Wicks and Mic Key Button in Pilot's Control Wheel

White Lighting

Dual Microphones, Headsets and Single Cockpit Speaker

Avionics Master Switch

NOTICE: VHF Transceivers will have 25KHZ spacing unless otherwise specified.

King Silver Crown

Installed Suggested Weight Selling Price

+29 lbs. \$+5,130.00

King KX-175B Main VHF Nav/Com with KN-77 VOR/LOC Converter, KI-206 Indicator, B3 Com Antenna and B12 Nav Antenna

King KX-175B Standby VHF Nav/Com with KN-77 VOR/LOC Converter, KI-206 Indicator and A15 Antenna

King KMA-20 Audio Amplifier

King Marker Beacon Incorporated in KMA-20, Single Set Marker Lights and B16 Antenna

King KR-85 ADF with KI-225 Indicator and Polyethylene Sense Antenna

King KN-73 Glideslope Receiver with A-326A Antenna

King KT-76 Transponder with B18 Antenna

Beech Metal Radio Panel, Radio Accessories and Static Wicks

Mic Key Button in Pilot's Control Wheel

White Lighting

Single Audio Switch Panel

Dual Microphones and Headsets, Single Cockpit Speaker

Avionics Master Switch

NOTICE: VHF Transceivers will have 25KHZ spacing unless otherwise specified.

King Gold Crown

+53 lbs. \$+24,500.00

King KTR-905 Main Transceiver with Dual Gables Controls and B3 Com Antenna

King KTR-905 Standby Transceiver with Gables Control and A15 Antenna

King KNR-630 Manual Omni No. 1 with KI-206 Indicator and Gables Control with B12 Nav Antenna

King KNR-632 Manual Omni No. 2 with KI-206 Indicator and Gables Control

King KAA-455 Isolation-Speaker Amplifier and Single Audio Switch Panel

King Glideslope Receiver included in No. 1 KNR-630 with A-326A Antenna

King KMR-675 Marker Beacon Receiver with B16 Antenna, Single Set Marker Lights

King KDF-805 ADF with KNI-580 Indicator, Voice Range Filter and Polyethylene Sense Antenna

King KXP-755 Transponder with Gables Control and B18 Antenna

Beech Custom Edgelighted Radio Panel

Radio Accessories, Static Wicks and Mic Key Button in Pilot's Control Wheel

White Lighting

Dual Microphones and Headsets, Single Cockpit Speaker

Avionics Master Switch

NOTICE: VHF Transceivers will have 25KHZ spacing unless otherwise specified.

OPTIONS TO THE STAI AND OPTIONAL AVIONICS		GES	King KDF-805 ADF, A Pointer Indicator Filter wtih extern
	Installed Weight	Suggested Selling Price	King KR-85 ADF, Ki-
ADF			Voice Range Filte sense antenna
Bendix T-12D ADF, Voice Range Filter and 551RL Indicator (exchange KR-85			NOTE: Voice Ran applicable if h
ADF, Voice Range Filter and KI-225		0.100.0 0	Collins ADF-650 ADF and Voice Range
Indicator) King KDF-805 ADF, Voice Range Filter and KNI-580 Indicator (exchange	Negl.	\$+190.06	Antenna NOTE: Voice Ran applicable if A
KR-85 ADF, Voice Range Filter and KI-225 Indicator)	+7 lbs.	+2,690.00	дриожало п,
NOTE: Voice Range Filter not applicable if KMA-20 Audio is used	4	,	Autopilot / Flight
Collins ADF-60A ADF, Voice Range	u.		Edo-Aire Mitchell Ce Fully Integrated F
Filter and IN-12-1 Indicator (Exchange ADF-650 ADF, and IND-650 Indicator) NOTE: Voice Range Filter not applicable if AMR-350 is used.	+5 lbs.	+3,990.00	System with Yaw Electric Trim, NS Situation Display Unslaved Directio Credit for Standa
Antennas			be allowed for VC required) (If Diffe
Collins 37R-2 Com Antenna (exchange B3) Collins 37X-2 Marker Beacon Antenna	+1 lb.	\$+186.00	is used, credit wil NSD-360A-15)
(exchange B16)	Negl.	+86.00	Compass Systems
Audio System			(Credit will be allowe directional gyro a
Collins 356C-4 Isolation Amplifier, Collins 356F-3 Speaker Amplifier and King KMR-675 Marker Receiver with			when applicable.) Collins PN-101 Electr with 331A-3G Inc
Single Lights a. Exchange for KMA-20	+2 lbs.	\$+1,090.00	Edo-Aire Mitchell NS Compass System
b. Exchange for AMR-350	+2 lbs.	+1,030.00	RMI)
Instruments			*Sperry C-14-43 Comp Servo Amplifier w Indicator
*Bendix 551E ADF Indicator (used with RMI) (exchange for 551RL)	—1 lb.	\$+595.00	DME
*Electric Gyro Horizon on Pilot's Side (exchange for standard Gyro Horizon)	Negl.	+960.00	DME Collins DME-40 with
*King KI-225-01 ADF Indicator (used with	3		Nav 1/Nav 2 Swite and 237Z-1 Anten
RMI) (exchange for KI-225)	Negl.	+395.00	King KN-65A DME wi
Omnis - Automatic			KA-43 Adapter, D Antenna, Nav 1/ N
*King KNR-630 Automatic Omni (no Control and Indicator)			(less control) King KDM-705A DME
(exchange for KNR-632)	Negl.	\$+1,256.00	Indicator, Nav 1/N B18 Antenna (les
Transponders			DIO Antenna (les
Sperry TP-114B Transponder with Gables Control and B18 Antenna (Exchange Collins TDR-90)	+3 lbs.	\$ - -315.00	Encoding Altimet
Sperry TP-114B Transponder with Gables Control and B18 Antenna		·	Bendix 3252013 Enco (Exchange Pilot's Altimeter)
(Exchange King KXP-755)	+2 lbs.	+150.00	Edo-Aire IU306-002 E Encoding Altimete Pointer Display (Ir
ADDITIONAL AVIONICS EQ	UIPMEN	ИT	Standard Altimete IDC 570-24929-016 Pr Altimeter with Cou (Exchange Pilot's
Second ADF Systems			Altimeter) IDC 519-22702-031 Se
Bendix T-12D ADF, 551RL Single Pointer Indicator and Voice Range Filter	15 lbs.	\$3,220.00	Altimeter with Cou (Exchange Pilot's
with external sense antenna		7-1	Altimeter)

*Requires AC Power

King KDF-805 ADF, ARC IN-13A-1 Dual	Insta Weig		Suggested Selling Price
Pointer Indicator and Voice Range Filter wtih external sense antenna King KR-85 ADF, KI-225 Indicator and	17	lbs.	\$6,130.00
Voice Range Filter with external sense antenna NOTE: Voice Range Filter not	13	lbs.	3,120.00
applicable if KMA-20 Audio is used Collins ADF-650 ADF, IND-650 Indicator and Voice Range Filter with ANT-650 Antenna NOTE: Voice Range Filter not applicable if AMR-350 Audio is use	9	ibs.	2,895.00
Autopilot / Flight Director Syst	tem		
Edo-Aire Mitchell Century IV Fully Integrated Flight Director/Autopi System with Yaw Damper, Manual Electric Trim, NSD-360A-15 Navigation Situation Display Indicator and Unslaved Directional Gyro (Includes Credit for Standard Gyros) (Credit will be allowed for VOR Indicator not required) (If Different Compass Systen is used, credit will be given for NSD-360A-15)	n h	lbs.	\$19,540.00
Compass Systems			
(Credit will be allowed for standard directional gyro and/or indicator when applicable.)			
Collins PN-101 Electric Nav System with 331A-3G Indicator Edo-Aire Mitchell NSD-360-26 Slaved	21	lbs.	\$7,535.00
Compass System (Not to be used with RMI) *Sperry C-14-43 Compass System with		lbs.	4,790.00
Servo Amplifier with 331A-3G Indicator	15	ibs.	7,985.00
DME			
Collins DME-40 with 339F-12 Indicator, Nav 1/Nav 2 Switching, DME Hold and 237Z-1 Antenna (less control) King KN-65A DME with KI-266 Indicator, KA-43 Adapter, DME Hold, and B18	15 I	lbs.	\$7,545.00
Antenna, Nav 1 / Nav 2 Switching (less control) King KDM-705A DME with KDI-571	15 I	lbs.	4,780.00
Indicator, Nav 1/Nav 2 Switching, B18 Antenna (less control)	20	lbs.	5,940.00
Encoding Altimeters			
Edo-Aire IU306-002 Electric-Servo'd	+1 i	b.	\$+2,025.00
Encoding Altimeter with Counter- Pointer Display (In Addition to Standard Altimeter)	+2 I	bs.	1,960.00
•	+1 1	b.	+4,115.00
IDC 519-22702-031 Servo'd Encoding Altimeter with Counter-Pointer Display (Exchange Pilot's Standard Altimeter)	+3 I	bs.	+6,150.00
Requires AC Power			

^{*}Requires AC Power

	Installed Weight	Suggested Selling Price		installed Weight	Suggested Selling Pric
IDC 540-22722-034 Altitude Alerter			RMI Indicators		
(Use with IDC 519-22702-031 Altimeter only)	+2 lbs.	\$2,425.00	(Require Automatic Omni and Servo Amplifie	r)	
Smiths 01-200-102 Encoding Altimeter	12 100.	Ψ2, Ψ20.00	NOTE: All RMI Indicators require slaved	•	
with Three Pointer Display (Exchange			compass systems and appropriate		
Pilot's Standard Altimeter)	+1 lb.	2,170.00	Omni's and ADF's.		
m: I E C · · ·			*Collins 332C-10 (To be used with Collins VIR-30A's)	3 lbs.	\$2,600.0
High Frequency Communicatio	ns		*Collins ADA-650 RMI Adapter (Used with	0 100.	Ψ2,000.0
SunAir ASB-100A Single Side Band			ADF-650 and RMI)	1 lb.	760.0
Transceiver less Lower Side Band with Control Head, Load Coil and			*King KI-226 Radio Magnetic Converter		
Fixed Antenna	31 lbs.	\$6,315.00	Indicator (To be used with Collins		
Lower Side Band for ASB-100A	Negl.	180.00	Micro-Line and King Silver Crown package.)	2 lbs.	2,430.0
_			*King KNI-581 RMI (To be used with	ຂ ານຈ.	2,400.0
Instruments			King Gold Crown)	2 lbs.	1,895.0
(Credit Allowed for Instruments Exchanged)			,		•
ARC IN-12-1 ADF Indicator	1 lb.	\$445.00	RNAV (Area Navigation)		
ARC IN-13A-1 Dual ADF Indicator	2 lbs.	750.00	King KNC-610 RNAV (System requires		
Beech 3" Directional Gyro	3 lbs.	300.00	KDM-705A DME or KN-65A DME)	4 lbs.	\$5,485.0
Beech 3" Gyro Horizon	3 lbs.	300.00	King KN-74 RNAV System (To be used		, , ,
Collins 331H-3G Indicator	3 lbs.	955.00	with KX-175 or VIR-351)	4 lbs.	4,240.0
Collins IND-351 Indicator	1 lb.	485.00			
Collins IND-650 Indicator	1 ib.	215.00	Second Transponders		
King KI-206 Indicator	1 lb.	595.00	Collins TDR-90 Transponder with		
King KNI-580 ADF Indicator	1 lb.	430.00	237Z-1 Antenna (No Control)	10 lbs.	\$3,505.0
Inverters			Collins TDR-950 Transponder with B18 Antenna	5 lbs.	1,460.0
125VA Flite-Tronics PC-14B Inverter No. 1 with Failure Light	5 lbs.	\$1,360.00	King KXP-755 Transponder with B18 Antenna (No Control)	9 lbs.	3,050.0
125VA Flite-Tronics PC-14B Inverter			King KT-76 Transponder with B18		
No. 2	5 lbs.	1,280.00	Antenna	8 lbs.	1,400.0
250VA Flite-Tronics PC-15B Inverter	0 lba	1 765 00	Sperry TP-114B (1014B) Transponder	40 16-	0.405.0
No. 1 with Failure Light 250VA Flite-Tronics PC-15B Inverter	8 lbs.	1,765.00	with B18 Antenna (No Control)	12 lbs.	3,195.0
No. 2	8 lbs.	1,685.00	Miscellaneous		
600VA Flite-Tronics PC-17 Inverter	0 .20.	,,000.00	Miscenaneous		
No. 1 with Failure Light	15 lbs.	2,305.00	AAR 2502W Monitor Indicator with	0 16-	Ф70Е О
600VA Flite-Tronics PC-17 Inverter			Nav 1/Nav 2 Switching	2 lbs.	\$765.0
No. 2	15 lbs.	2,225.00	Pilot-to-Cabin Paging with Amplifier	3 lbs.	570.0
Radar			ADF Audio for Cabin Speaker (To be used with Cabin Paging)	Negl.	160.0
			Dual Marker Lights (Not to be used	iiogi.	100.0
Bendix RDR-130 Radar with 12" Phased Array Antenna and Digital Scope	28 lbs.	\$12,500.00	with KMA-20 or AMR-350)	Negl.	175.0
King KWX-50 with Digital Scope and	20 103.	φ12,500.00	Omni Range Filter (Not to be used with		
Parabolic Antenna	39 lbs.	9,990.00	KMA-20 or AMR-350)	1 lb.	205.0
RCA Primus-35 Radar with Bright Scope		,	Dual Omni Range Filters (Not to be used	O Ibo	200.0
and 12" Non-Stabilized Phased Array			with KMA-20 or AMR-350)	2 lbs.	380.0
Antenna	39 lbs.	15,920.00	Mic Key Button in Copilot's Wheel	Negl.	140.0
Radio Altimeters			Plantronics Boom Mic with Headset in Addition to Standard Mic and		
Bonzer Mark-10 Radar Altimeter	7 lbs.	\$3.06E.00	Headset	1 lb.	260.0
		\$3,265.00	*Boguiros AC Power		
King KRA-405 Radar Altimeter	6 lbs.	6,340.00	*Requires AC Power		



fly as you pay with . . .

BEECHCRAFT FINANCE AND LEASE PLANS

Your Beechcraft salesman will be happy to explain easy ways to acquire your new Duke B60 without using your valuable working capital. Either a Beech finance or lease plan can be tailored to fit your specific business requirements.

Leasing through the Beech Acceptance Corporation gives you the advantage of a company-owned plane which remains yours for the life of the lease; three to five years. Leasing can be terminated at any time with a small closing payment . . . or converted into a purchase plan with the bulk of the lease payments applying against the purchase price.

A wide choice of both leasing and finance plans is available to you through the Beech Acceptance Corporation. Just one specific advantage of all such plans is lower cost group insurance. Ask your Beechcraft salesman for details!



Beech Aircraft Corporation

Wichita, Kansas 67201, U.S.A.